# GAS LIFT SWIVEL CHAIR **MODEL 8345**





#### STANDARD VERSION

PAGHOLZ® waisted shell, with ergonomic three-dimensional shell shape. Surface melamine coated and pore sealed with a scratch, impact and abrasion resistant finish created in the pressing process. Seat and back surface with pressed-in texture. Aluminum 5-star base, with infinitely variable gas lift height adjustment. Round tubular column: 50 mm, epoxy coated. With plastic feet.

#### **OPTIONS**

- PAGHOLZ® Color Wood Price group 2
- PAGHOLZ® COLOUR WOOD
- Handle hole

- Felt floor protectors

Polished aluminum base

- Load-dependent braking casters (SH +3 cm)
- Locking casters (SH +3 cm)

LOAD CAPACITY

125 kg

### STANDARD

FEMB level:2017 (Level 3)

DIN EN 1729-1, DIN EN 1729-2, DIN EN 16139

GS-zertifiziert gem. DIN EN 1729-1, DIN EN 1729-2

#### SIZES

SIZE	3-5
CHAIR WIDTH	54 cm
CHAIR HEIGHT	56-67 cm
SEAT HEIGHT	34-42 cm
CHAIR DEPTH	54 cm
STACKABILITY	-
WEIGHT	9 kg

Our range of materials and colors can be found in the A2S material overview.









# GAS LIFT SWIVEL CHAIR MODEL 8345



## BENEFITS/SPECIALS



PAGHOLZ® from sustainable forestry



Optionally with grip hole, round or oval



Height adjustment by safety gas spring



Optionally with loaddependent braked casters



Indestructible PAGHOLZ® shell, scratch, break and impact resistant; flame retardant



Ergonomically and orthopedically adapted shell shape



Extremely robust aluminum base