

COCOON UPHOLSTERED SEATING ELEMENT WITH BACK WALL

MODEL 5012



STANDARD VERSION

Upholstery made of foam, colors of the backrest and seat separately selectable within a fabric group. Substructure made of robust 3-layer chipboard. With plastic floor protector.

Upholstery made of foam, colors of the backrest and seat separately selectable within a fabric group. Substructure made of robust 3-layer chipboard. With plastic floor protector.

OPTIONS

- Upholstery fabric WOOL (price group 3)
- Cover fabric ARTIFICIAL LEATHER B1 (price group 4)
- Cover fabric seat PROTEX / back WOOL
- Felt floor protectors
- 5012.900 Set Bodenbefestigung, geklebt oder geschraubt

STANDARD

GS-zertifiziert gem. DIN EN 16139, DIN EN 15372

bei Bezugstoffen B1:

höchste zertifizierte Brandschutzsicherheit nach DIN 66084 P-a (Papierkissentest)

TECHNICAL SPECIFICATIONS

TOTAL WIDTH	98 cm
SEAT WIDTH	80 cm
TOTAL HEIGHT	115 cm
SEAT HEIGHT	36 cm
TOTAL DEPTH	89 cm
SEAT DEPTH	80 cm
WEIGHT	35 kg

Our range of materials and colors can be found in the A2S material overview.



A2S-Furnishing Systems Ltd.
ASS-Einrichtungssysteme GmbH
info@a2s.com
WWW.A2S.COM

COCOON UPHOLSTERED SEATING ELEMENT WITH BACK WALL


MODEL 5012



BENEFITS/SPECIALS




Optional felt floor protector with interchangeable insert



Optional mit geschraubter oder geklebter Bodenbefestigung



Sound insulation through sound absorbing foam in backrest



Formation of a large retreat COCOON in position combination with other elements.



High quality crosscut seam



Wide range of possible combinations of COCOON and JOYN series

FABRIC PROPERTIES

WOOL Price group 3

100% wool | flame retardant according to EN 1021 1&2 | 460 g/m² +/-5% | 35,000 Martindale tours | linting 4 | tested for harmful substances

PROTEX Price group 3

surface 100% vinyl / fabric 100% polyester | flame retardant according to EN 1021 1&2, DIN 4102 B2 | 685 g/m² | 300,000 Martindale tours | no linting | wipeable with soap and water, water repellent, antibacterial, anti-static, stain resistant, resistant to blood and urine, mold resistant backing and surface, resistant to disinfectants

ARTIFICIAL LEATHER B1 Price group 4

85% PVC compound, 15% cotton knit | flame retardant according to EN 1021 1&2, DIN 4102 B1 | weight 780 +/-50 g/m² | 75,000 Martindale tours | no linting | tested for harmful substances | resistant to blood and urine, resistant to disinfectants

PROTEX B1 price group 4

surface 100% vinyl / fabric 100% cotton | flame retardant according to EN 1021 1&2, DIN 4102 B1 | 760 g/m² | 300.000 tours Martindale | no linting

SPECIAL PROPERTIES: PERMABLOK3® - protection against germs, abrasion and stains: Antibacterial, antifungal, stain resistant, sulfide stain resistant, anti-fungal protection - mildew resistant backing and surface | disinfectant resistant, easy cleaning - wipeable with soap and water | antistatic surface

Tested to: ISO206B02 7/8 UV resistance | ISO 18184 & ISO 21702 virus-free surface to reduce corona virus | ISO 22196 for bacteria-free surface | ISO 16000 indoor air emission class A+

Tested for: Plasticizers and harmful substances - material requirements of toy standards EN 71-3 Safety of toys (migration of certain elements) and 2005/84/EC (phthalates in toys and childcare articles)