

4-LEGGED ROW STACKING TABLE, METAL WELDED (130X65 CM)

MODEL 1026.136



STANDARD VERSION

Tabletop, 3-layer chipboard (E1), melamine coated, highly abrasion-resistant, with 3 mm plastic edge, thickness: 25 mm.

Note: Table height specifications refer to a tabletop thickness of 25 mm.

4-leg base frame, side parts round tube: 40/2 mm, frame square tube welded and rounded: 40/20/2 mm. Frame epoxy coated, with plastic floor protector with level compensation.

Rear table legs lengthwise, projecting laterally, thus stackable and can be placed next to each other without joints.

Table top shape: rectangular

OPTIONS

- Table top finishes price group 2
- Tabletop with ASSODUR® edge
- Table top HPL glued
- Felt floor protectors
- Teflon floor protector
- 2 rollers lengthwise
- Table frame chrome plated
- Chair suspension PAGHOLZ® sled-base chair
- 1 pair of rails for Tidy Box
- Folder hook

STANDARD

GS-zertifiziert gem. DIN EN 1729-1, DIN EN 1729-2, DIN EN 15372

SIZES

SIZE	3	4	5	6	7	72 cm	75 cm
TABLE WIDTH	130 cm	130 cm	130 cm	130 cm	130 cm	130 cm	130 cm
TABLE HEIGHT	58 cm	64 cm	70 cm	76 cm	82 cm	72 cm	75 cm
TABLE DEPTH	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm
PLAN DIMENSION	140x65 cm	140x65 cm	140x65 cm	140x65 cm	140x65 cm	140x65 cm	140x65 cm
STACKABILITY	4 pcs.	4 pcs.	4 pcs.	4 pcs.	4 pcs.	4 pcs.	4 pcs.
NUMBER OF SEATS	2	2	2	2	2	2	2
WEIGHT	24 kg	25 kg	25 kg	26 kg	26 kg	25 kg	26 kg

Our range of materials and colors can be found in the A2S material overview.



A2S-Furnishing Systems Ltd.
ASS-Einrichtungssysteme GmbH
info@a2s.com
WWW.A2S.COM

4-LEGGED ROW STACKING TABLE, METAL WELDED (130X65 CM)


MODEL 1026.136



BENEFITS/SPECIALS



Melamine coated table top with robust plastic edge



Optional melamine coated table top with ASSODUR® edge



Floor saver with level compensation compensates for uneven floors



Optional frame mobile by means of 2 rollers



Optionally with one folder hook per seat



Stackable up to 4 tables due to special frame design



Table tops can be placed together without joints