

FLEX C-SHAPE CHAIR

MODEL 7854



STANDARD VERSION

Plastic shell ergonomically shaped. Material made of polypropylene, recyclable, manufactured in double-wall blown process. Thus soft sitting due to air cushioning effect, with integrated ventilation channels and groove to relieve the spine. Grip hole in the lumbar region and recessed grips on the upper edge of the backrest and underside of the chair.

C-shape frame, sizes 2-4 round tube: 0.87"/0.10", sizes 5-7 round tube: 0.87"/0.12", standard version epoxy coated. With 3-component floor protector A2S FLOORSAFE®. Including plate protector to rest on the table top.

OPTIONS

- FLOORSAFE® felt floor protectors
- Series connection
- Book tray (size 5-7)
- Chair frame chrome plated
- Fully upholstered FLEX (size 5-7)
- Cross brace (size 5-7)

STANDARD

FEMB level:2017 (Level 3)

DIN EN 1729-1, DIN EN 1729-2, DIN EN 16139

LOAD CAPACITY

276 lb

SIZES

SIZE	2	3	4	5	6	7
CHAIR WIDTH	17.72 "	17.72 "	17.72 "	20.87 "	20.87 "	20.87 "
CHAIR HEIGHT	23.62 "	25.20 "	26.38 "	29.92 "	31.10 "	33.07 "
SEAT HEIGHT	12.20 "	13.78 "	14.96 "	16.93 "	18.11 "	20.08 "
CHAIR DEPTH	15.35 "	15.75 "	16.14 "	22.05 "	22.05 "	22.05 "
STACKABILITY	3 pcs.	3 pcs.	3 pcs.	4 pcs.	4 pcs.	4 pcs.
WEIGHT	7 lb	7 lb	7 lb	12 lb	12 lb	12 lb

Our range of materials and colors can be found in the A2S material overview.




A2S-Furnishing Systems Ltd.
 ASS-Einrichtungssysteme GmbH
 info@a2s.com
 WWW.A2S.COM

FLEX C-SHAPE CHAIR MODEL 7854



BENEFITS/SPECIALS



Easy to carry due to low weight



Optionally with book tray from size 5



Optionally with row connection from size 5



Optional seat shell fully upholstered from size 5 onwards



Seat shell with integrated ventilation channel



Robust C-shape frame with A2S FLOORSAFE® floor protectors



Plate protectors protect the table when stacking up



Stackable up to 3 chairs (without upholstery)

FABRIC PROPERTIES

FLEX upholstery

Flame retardant according to DIN 4102 B1 | 8.82 oz/yd² +/-5% | 40,000 Martindale tours | Linting 4 | ÖKO-Tex 100